

# Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard.  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

# US Department of Labor

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

## IDENTITY (As used on Label and List)

Grease-X Jet

*Note: Blank spaces are not permitted. If any item is not applicable,  
or no information is available, the space must be marked to  
indicate that.*

## SECTION I

### Manufacturer's Name

EPICORE NETWORKS (USA) INC

### Address (Number, Street, City, State and ZIP Code)

1507 ROUTE 206

MT. HOLLY, NEW JERSEY 08060

UNITED STATES OF AMERICA

### Emergency Telephone Number

(609) 267-9118

### Telephone Number for Information

(609) 267-9118

### Date Prepared

January 24, 2007

### Signature of Preparer (optional)

## SECTION II – Hazardous Ingredients/ Identity Information

Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	%(optional)
---	----------	-----------	--------------	-------------

## SECTION III – Physical/Chemical Characteristics

### Boiling Point

>100°C

### Specific Gravity (H<sub>2</sub>O = 1)

1.00

### Vapor Pressure (mm Hg.)

### Melting Point

N/A

### Vapor Density (AIR = 1)

N/A

### Evaporation Rate (Butyl Acetate = 1)

### Solubility in Water

COMPLETE

### Appearance and Odor

HOMOGENOUS TRANSPARENT LIQUID WITH MILD ODOR.

## SECTION IV – Fire and Explosion Hazard Data

### Flash Point (Method Used)

### Flammable Limits

### LEL

### UEL

### Extinguishing Media

USE WATER SPRAY, DRY CHEMICAL, CO<sub>2</sub> OR FOAM.

### Special Fire Fighting Procedures

FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPRATUS AND FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL NEARBY CONTAINERS.

### Unusual Fire and Explosion Hazards

NONE

SECTION V -- Reactivity Data

Stability	Unstable		Conditions to Avoid N/A
	Stable	X	

Incompatibility (Materials to Avoid)

STRONG OXIDIZING AGENTS

Hazardous Decomposition or Byproducts

NONE

Hazardous Polymerization	May Occur		Conditions to Avoid N/A
	Will Not Occur	X	

SECTION VI -- Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	X	X	X

Health Hazards (Acute and Chronic)

MAY CAUSE SENSITIZATION BY INHALATION IN HYPERSENSITIVE INDIVIDUALS. AVOID INAPPROPRIATE HANDLING WHICH MAY RESULT IN AEROSOL/DUST GENERATION. IF INHALED, REMOVE FROM CONTAMINATED AREA TO FRESH AIR. REPORT SITUATION. SEEK MEDICAL ATTENTION IF ALLERGIC RESPONSE EXHIBITED.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
NO	NO	NO	NO

Signs and Symptoms of Exposure

REPEATED EXPOSURE OF DILUTED SOLUTION NOT ANTICIPATED TO CAUSE ANY SIGNIFICANT ADVERSE EFFECTS.

Medical Conditions

Generally Aggravated by Exposure

N/A

Emergency First Aid Procedures

CONTACT WITH SKIN AND EYES IS IRRITATING. FLUSH EYES WITH WATER FOR 15 MINUTES. DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION.

SECTION VII -- Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Waste Disposal Method

DISPOSE OF CONTAMINATED PRODUCT AND MATERIALS USED IN CLEANING IN A MANNER APPROVED BY REGULATORY AUTHORITIES.

Precautions to Be Taken in Handling and Storage

KEEP CONTAINER CLOSED. WASH THOROUGHLY AFTER HANDLING. KEEP AWAY FROM OPEN FLAMES.

Other Precautions

SECTION VIII -- Control Measures

Respiratory Protection (Specify Type)

USE RESPIRATORY PROTECTION FOR DUST AND MIST.

Ventilation	Local Exhaust MECHANICAL VENTILATION SUGGESTED	Special N/A
	Mechanical (General) RECOMMENDED	Other N/A

Protective Gloves

USE IMPERVIOUS GLOVES

Eye Protection

SAFETY GLASSES

Other Protective Clothing or Equipment

WEAR PROTECTIVE CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.

Work/ Hygienic Practices

EYEWASH STATION AND SAFETY SHOWER SHOULD BE NEAR WORK AREA.